

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants : Isao WASEDA et al. **Certificate of Correction Branch**

Patent No. : 7,275,503 Issued: Oct. 2, 2007

Appl. No. : 10/565,298 Filed: Jul. 28, 2004

For: HEAT TRANSFER TUBE PANEL MODULE AND METHOD OF CONSTRUCTING  
EXHAUST HEAT RECOVERY BOILER USING THE MODULE

**REQUEST FOR CERTIFICATE OF CORRECTION**

Commissioner for Patents  
U.S. Patent and Trademark Office  
Customer Service Window, Mail Stop **Certificate of Correction Branch**  
Randolph Building  
401 Dulany Street  
Alexandria, VA 22314

Sir:

Please find attached a proposed Certificate of Correction.

Please correct the following errors appearing in the printed patent which are apparently the fault of the U.S. Patent and Trademark Office, as per the attached Certificate of Correction. Since the errors are the fault of the USPTO, no fee is due.

On the cover page, at item (75), Inventors, line 7 of the printed patent, "Eiiji" should be --- Eiiji---. This was stated correctly in the Official Filing Receipt, mailed on 05/03/2006.

On the cover page, item (57), Abstract of the printed patent, "A method of constructing an exhaust heat recovery boiler. A required number of heat transfer tube group panel modules (20) are produced in an appropriate size according to design specifications of HRSG, where the heat transfer tube group panel modules (20) each have a large number of heat transfer tubes (6), heat transfer tube group panels (23) constituted of upper and lower collection tubes (7, 8) for the heat transfer tubes

(6), a casing (1) for the heat transfer tube group panels (23), heat transfer tube group panel supporting beams (22) provided outside a ceiling wall portion of the casing (1), and a vertical and horizontal module frames (24, 25) provided outside the casing (1). Main frames for supporting the modules (20), including main pillars (33), main beams (34), and bottom wall portion pillars (36), are constructed in advance in a construction site of the heat recovery boiler (HRSG). Each module (20) is transported to the construction site and lowered by a crane (42) into between adjacent main pillars (33). Supporting beams (22) of each module (20) are placed at the height of installation of the main beam (34). Then the horizontal module frames (25), the main beams (34), and the bottom wall portion pillars (36) are connected and fixed, and the vertical module frames (24) and the main pillars (33) are connected and fixed.” should be --- The invention provides an exhaust heat recovery boiler construction method in which a necessary number of heat exchanger tube bundle panel modules each having heat exchanger tube bundle panels including a number of heat exchanger tubes and upper and lower headers of the heat exchanger tubes, a casing of the heat exchanger tube bundle panels, heat exchanger tube bundle panel support beams located outside the ceiling wall of the casing, and vertical and horizontal module frames located outside the casing, are prepared so as to have a proper size according to the design specifications of the heat recovery boiler, main frames including main columns, main beams, and bottom wall columns for supporting the modules are constructed in advance at a construction site of the exhaust heat recovery boiler (heat recovery boiler), and the modules are transported and hung down by a crane between the main columns adjacent to each other at the construction site to set the support beams of the modules at the installation height of the main beams, and the horizontal module frames, the main beams, and the bottom wall columns are connected and fixed to each other and the vertical module frames and the main columns are connected and fixed to each other.---. This was stated correctly in the Application as originally filed

on 1/19/2006, on page 68.

At column 12, line 18 of the printed patent, “1300° C. class” should be ---1300° C class---. This was stated correctly in the Application as originally filed on 1/19/2006, on page 31, line 22.

At column 16, line 8 of the printed patent, “side wall casing 17” should be ---side wall casing 1---. This was stated correctly in the Application as originally filed on 1/19/2006, on page 42, line 13.

At column 21, line 42 (claim 1, line 63) of the printed patent, “to a setting, height of” should be ---to a setting height of---. This was stated correctly in the Response under 37 CFR § 1.111, filed on 6/22/2007, page 4, line 22.

The following error is apparently the fault of the inventors. Payment of the fee is enclosed.

At column 24, line 22 (claim 7, line 6) of the printed patent, “bundle panel module the baffle plates” should be --- bundle panel module, the baffle plates---.

Therefore, it is respectfully requested that a Certificate of Correction issue in the above-identified patent as follows:

On the cover page, at item (75), Inventors, line 7 of the printed patent, change “Eiiji” to ---Eiji---.

On the cover page, item (57), Abstract of the printed patent, change “A method of constructing an exhaust heat recovery boiler. A required number of heat transfer tube group panel modules (20) are produced in an appropriate size according to design specifications of HRSG, where the heat transfer tube group panel modules (20) each have a large number of heat transfer tubes (6), heat transfer tube group panels (23) constituted of upper and lower collection tubes (7, 8) for the heat

transfer tubes (6), a casing (1) for the heat transfer tube group panels (23), heat transfer tube group panel supporting beams (22) provided outside a ceiling wall portion of the casing (1), and a vertical and horizontal module frames (24, 25) provided outside the casing (1). Main frames for supporting the modules (20), including main pillars (33), main beams (34), and bottom wall portion pillars (36), are constructed in advance in a construction site of the heat recovery boiler (HRSG). Each module (20) is transported to the construction site and lowered by a crane (42) into between adjacent main pillars (33). Supporting beams (22) of each module (20) are placed at the height of installation of the main beam (34). Then the horizontal module frames (25), the main beams (34), and the bottom wall portion pillars (36) are connected and fixed, and the vertical module frames (24) and the main pillars (33) are connected and fixed.” to ---The invention provides an exhaust heat recovery boiler construction method in which a necessary number of heat exchanger tube bundle panel modules each having heat exchanger tube bundle panels including a number of heat exchanger tubes and upper and lower headers of the heat exchanger tubes, a casing of the heat exchanger tube bundle panels, heat exchanger tube bundle panel support beams located outside the ceiling wall of the casing, and vertical and horizontal module frames located outside the casing, are prepared so as to have a proper size according to the design specifications of the heat recovery boiler, main frames including main columns, main beams, and bottom wall columns for supporting the modules are constructed in advance at a construction site of the exhaust heat recovery boiler (heat recovery boiler), and the modules are transported and hung down by a crane between the main columns adjacent to each other at the construction site to set the support beams of the modules at the installation height of the main beams, and the horizontal module frames, the main beams, and the bottom wall columns are connected and fixed to each other and the vertical module frames and the main columns are connected and fixed to each other.---

At column 12, line 18 of the printed patent, change "1300° C. class" to ---1300° C class---.


At column 16, line 8 of the printed patent, change "side wall casing 17" to ---side wall casing 1---.

At column 21, line 42 (claim 1, line 63) of the printed patent, change "to a setting, height of" to ---to a setting height of---.

At column 24, line 22 (claim 7, line 6) of the printed patent, change "bundle panel module the baffle plates" to --- bundle panel module, the baffle plates---.

Should there be any questions, the Examiner is invited to contact the undersigned at the below-listed number.

Respectfully submitted,  
Isao WASEDA et al.



Bruce H. Bernstein  
Reg. No. 29,027

William E. Lyddane  
Reg. No. 41,568

March 11, 2008  
GREENBLUM & BERNSTEIN, P.L.C.  
1950 Roland Clarke Place  
Reston, VA 20191  
(703) 716-1191

# UNITED STATES PATENT AND TRADEMARK OFFICE

## CERTIFICATE OF CORRECTION

Page 1 of 2

PATENT NO. : 7,275,503  
 APPLICATION NO.: 10/565,298  
 ISSUE DATE : Oct. 2, 2007  
 INVENTOR(S) : Waseda et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the cover page, at item (75), Inventors, line 7 of the printed patent, "Eiiji" should be ---Eiji---

On the cover page, item (57), Abstract of the printed patent, "A method of constructing an exhaust heat recovery boiler. A required number of heat transfer tube group panel modules (20) are produced in an appropriate size according to design specifications of HRSG, where the heat transfer tube group panel modules (20) each have a large number of heat transfer tubes (6), heat transfer tube group panels (23) constituted of upper and lower collection tubes (7, 8) for the heat transfer tubes (6), a casing (1) for the heat transfer tube group panels (23), heat transfer tube group panel supporting beams (22) provided outside a ceiling wall portion of the casing (1), and a vertical and horizontal module frames (24, 25) provided outside the casing (1). Main frames for supporting the modules (20), including main pillars (33), main beams (34), and bottom wall portion pillars (36), are constructed in advance in a construction site of the heat recovery boiler (HRSG). Each module (20) is transported to the construction site and lowered by a crane (42) into between adjacent main pillars (33). Supporting beams (22) of each module (20) are placed at the height of installation of the main beam (34). Then the horizontal module frames (25), the main beams (34), and the bottom wall portion pillars (36) are connected and fixed, and the vertical module frames (24) and the main pillars (33) are connected and fixed." should be

MAILING ADDRESS OF SENDER (Please do not use customer number below):

GREENBLUM & BERNSTEIN, P.L.C.  
 1950 Roland Clarke Place  
 Reston, VA 20191-1411

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

# UNITED STATES PATENT AND TRADEMARK OFFICE

## CERTIFICATE OF CORRECTION

Page 2 of 2

PATENT NO. : 7,275,503  
 APPLICATION NO.: 10/565,296  
 ISSUE DATE : Oct. 2, 2007  
 INVENTOR(S) : Waseda et al.

--- The invention provides an exhaust heat recovery boiler construction method in which a necessary number of heat exchanger tube bundle panel modules each having heat exchanger tube bundle panels including a number of heat exchanger tubes and upper and lower headers of the heat exchanger tubes, a casing of the heat exchanger tube bundle panels, heat exchanger tube bundle panel support beams located outside the ceiling wall of the casing, and vertical and horizontal module frames located outside the casing, are prepared so as to have a proper size according to the design specifications of the heat recovery boiler, main frames including main columns, main beams, and bottom wall columns for supporting the modules are constructed in advance at a construction site of the exhaust heat recovery boiler (heat recovery boiler), and the modules are transported and hung down by a crane between the main columns adjacent to each other at the construction site to set the support beams of the modules at the installation height of the main beams, and the horizontal module frames, the main beams, and the bottom wall columns are connected and fixed to each other and the vertical module frames and the main columns are connected and fixed to each other.---

At column 12, line 18 of the printed patent, "1300° C. class" should be ---1300° C class---.

At column 16, line 8 of the printed patent, "side wall casing 17" should be ---side wall casing 1---.

At column 21, line 42 (claim 1, line 63) of the printed patent, "to a setting, height of" should be ---to a setting height of---.

At column 24, line 22 (claim 7, line 6) of the printed patent, "bundle panel module the baffle plates" should be --- bundle panel module, the baffle plates---.

### MAILING ADDRESS OF SENDER (Please do not use customer number below):

GREENBLUM & BERNSTEIN, P.L.C.  
 1950 Roland Clarke Place  
 Reston, VA 20191-1411

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

## Privacy Act Statement

The Privacy Act of 1974 (P.L. 93-579) requires that you be given certain information in connection with your submission of the attached form related to a patent application or patent. Accordingly, pursuant to the requirements of the Act, please be advised that: (1) the general authority for the collection of this information is 35 U.S.C. 2(b)(2); (2) furnishing of the information solicited is voluntary; and (3) the principal purpose for which the information is used by the U.S. Patent and Trademark Office is to process and/or examine your submission related to a patent application or patent. If you do not furnish the requested information, the U.S. Patent and Trademark Office may not be able to process and/or examine your submission, which may result in termination of proceedings or abandonment of the application or expiration of the patent.

The information provided by you in this form will be subject to the following routine uses:

1. The information on this form will be treated confidentially to the extent allowed under the Freedom of Information Act (5 U.S.C. 552) and the Privacy Act (5 U.S.C. 552a). Records from this system of records may be disclosed to the Department of Justice to determine whether disclosure of these records is required by the Freedom of Information Act.
2. A record from this system of records may be disclosed, as a routine use, in the course of presenting evidence to a court, magistrate, or administrative tribunal, including disclosures to opposing counsel in the course of settlement negotiations.
3. A record in this system of records may be disclosed, as a routine use, to a Member of Congress submitting a request involving an individual, to whom the record pertains, when the individual has requested assistance from the Member with respect to the subject matter of the record.
4. A record in this system of records may be disclosed, as a routine use, to a contractor of the Agency having need for the information in order to perform a contract. Recipients of Information shall be required to comply with the requirements of the Privacy Act of 1974, as amended, pursuant to 5 U.S.C. 552a(m).
5. A record related to an International Application filed under the Patent Cooperation Treaty in this system of records may be disclosed, as a routine use, to the International Bureau of the World Intellectual Property Organization, pursuant to the Patent Cooperation Treaty.
6. A record in this system of records may be disclosed, as a routine use, to another federal agency for purposes of National Security review (35 U.S.C. 181) and for review pursuant to the Atomic Energy Act (42 U.S.C. 218(c)).
7. A record from this system of records may be disclosed, as a routine use, to the Administrator, General Services, or his/her designee, during an inspection of records conducted by GSA as part of that agency's responsibility to recommend improvements in records management practices and programs, under authority of 44 U.S.C. 2904 and 2906. Such disclosure shall be made in accordance with the GSA regulations governing inspection of records for this purpose, and any other relevant (i.e., GSA or Commerce) directive. Such disclosure shall not be used to make determinations about individuals.
8. A record from this system of records may be disclosed, as a routine use, to the public after either publication of the application pursuant to 35 U.S.C. 122(b) or issuance of a patent pursuant to 35 U.S.C. 151. Further, a record may be disclosed, subject to the limitations of 37 CFR 1.14, as a routine use, to the public if the record was filed in an application which became abandoned or in which the proceedings were terminated and which application is referenced by either a published application, an application open to public inspection or an issued patent.
9. A record from this system of records may be disclosed, as a routine use, to a Federal, State, or local law enforcement agency, if the USPTO becomes aware of a violation or potential violation of law or regulation.